§ 524.2481

- (3) If no response is seen after 2 weeks of treatment with the drug the diagnosis should be reviewed.
- (4) Federal law restricts this drug to use by or on the order of a licensed veterinarian.

[43 FR 29289, July 7, 1978, as amended at 52 FR 7833, Mar. 13, 1987]

§ 524.2481 Triamcinolone acetonide cream.

- (a) Specifications. Triamcinolone acetonide cream contains 0.1 percent triamcinolone acetonide in an aqueous vanishing cream base.
- (b) Sponsor. See No. 053501 in $\S510.600$ (c) of this chapter.
- (c) Conditions of use. (1) The drug is recommended for use on dogs as an anti-inflammatory, antipruritic, and antiallergic agent for topical treatment of allergic dermatitis and summer eczema.
- (2) The drug is applied by rubbing into affected areas two to four times daily for 4 to 10 days.
- (3) For use only by or on the order of a licensed veterinarian.

[40 FR 13873, Mar. 27, 1975, as amended at 50 FR 41490, Oct. 11, 1985]

§524.2620 Liquid crystalline trypsin, Peru balsam, castor oil.

- (a)(1) Specifications. The drug is a liquid for direct application or an aerosol preparation formulated so that each gram delivered to the wound site contains 0.12 milligram of crystalline trypsin, 87.0 milligrams of Peru balsam, and 788.0 milligrams of castor oil.
- (2) Sponsor. See No. 000514 in $\S510.600$ (c) of this chapter.
- (b)(1) Specifications. The drug is a liquid for direct application or an aerosol preparation formulated so that each gram delivered to the wound site contains 0.1 milligram of crystalline trypsin, 72.5 milligrams of Peru balsam, and 800 milligrams of castor oil.
- (2) *Sponsor.* See No. 017135 in §510.600(c) of this chapter.
- (c) *Conditions of use.* The drug is used as an aid in the treatment of external wounds and assists healing by facilitat-

ing the removal of necrotic tissue, exudate and organic debris.

[40 FR 13873, Mar. 27, 1975, as amended at 41 FR 56307, Dec. 28, 1976; 50 FR 9800, Mar. 12, 1985; 54 FR 25565, June 16, 1989; 56 FR 37474, Aug. 7, 1991]

§ 524.2640 Tylosin, neomycin eye powder.

- (a) Specifications. Tylosin is the antibiotic substance produced by growth of Streptromyces fradiae or the same antibiotic substance produced by any other means. Tylosin, present as the tartrate salt, conforms to the appropriate antibiotic standard. Tylosin contains at least 95 percent tylosin as a combination of tylosin A, tylosin B, tylosin C, and tylosin D of which at least 80 percent is tylosin A as determined by a method entitled "Determination of Factor Content in Tylosin by High Performance Liquid Chromatography,' which is incorporated by reference. Copies are available from the Dockets Management Branch (HFA-305), Food and Drug Administration, rm. 1-23, 12420 Parklawn Dr., Rockville, MD 20857, or available for inspection at the Office of the Federal Register, 800 North Capitol Street, NW., suite 700, Washington, DC 20001.
- (b) *Sponsor*. See No. 000986 in §510.600(c) of this chapter.
- (c) Conditions of use. (1) It is used in cattle for the treatment of pinkeye (infectious keratoconjunctivitis).
- (2) It is administered by holding the eyelids open and dusting powder into both eyes. The treatment is repeated daily for up to 7 days depending on the severity of the infection. Affected animals should be protected from direct sunlight, dust, and flies. In an affected herd, all animals with or without signs of the disease should receive at least one treatment.
- (3) If there is severe eye damage or if the condition persists or increases, discontinue administering the drug and consult a veterinarian.

[40 FR 13873, Mar. 27, 1975, as amended at 50 FR 49841, Dec. 5, 1985; 59 FR 14365, Mar. 28, 1994]